



8 7 6 5 4 3 2 1

ITEM #	QTY	PART #	PART TITLE
-1	3	RB T102019-1	RIGGING PIN
-2	1	RB T102019-2	LONG WEBBING
-3	1	RB T102019-3	SHORT WEBBING



8 7 6 5 4 3 2 1



RB T102019-1 RIGGING PIN

NOTES:

1) MATERIAL: 304/316 STAINLESS STEEL

2) HEAT TREAT: N/A

3) FINISH: N/A

4) TOLERANCES: X.X = $+-0.1"$ / $+-1^\circ$

X.XX = $+-0.01"$ / $+-0.5^\circ$

X.XXX = $+-0.005"$ / $+-0.1^\circ$

X.XXXX = $+-0.0005"$ / $+-0.05^\circ$

PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = $+-0.005"$

5) UNITS: INCHES UNLESS OTHERWISE NOTED

6) BREAK SHARP EDGES: 0.005" TO 0.010"

7) IDENTIFICATION: N/A

DESIGN	KPT	DART AEROSPACE LTD			
DRAWN	KPT	HAWKESBURY, ONTARIO, CANADA			
CHECKED	KPT	TOOL PART #			
MFG. APPR.	DP	REV. E			
APPROVED	<i>MLee</i>	RB T102019			
DATE 1/13/2019		SHEET 2 OF 4			
TITLE RIGGING TOOL		SCALE NTS			
COPYRIGHT © 2018 BY DART AEROSPACE LTD					
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS					
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT					
WRITTEN PERMISSION FROM DART AEROSPACE LTD.					

8 7 6 5 4 3 2 1

D

D

C


C

B

B

A

A



FLAT PATTERN

RB T102019-2 LONG WEBBING

NOTES:

- 1) MATERIAL: NYLON, MIL-W-4088K, TYPE XVII, CLASS 1A/2, RED OR EQUIVALENT
- 2) HEAT TREAT: N/A
- 3) FINISH: N/A
- 4) TOLERANCES: X = +/- 1"
X.X = +/- 0.5"
X.XX = +/- 0.25"
UNLESS OTHERWISE NOTED
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: 0.005" TO 0.010"
- 7) IDENTIFICATION: N/A
- 8) HEAT CUT ENDS AS SHOWN

DESIGN	KPT	DART AEROSPACE LTD			
DRAWN	KPT	HAWKESBURY, ONTARIO, CANADA			
CHECKED	KPT	TOOL PART #			
MFG. APPR.	DP	REV. E			
APPROVED	<i>M.Lee.</i>	RB T102019			
DATE 1/13/2019		SHEET 3 OF 4			
TITLE RIGGING TOOL		SCALE NTS			
COPYRIGHT © 2018 BY DART AEROSPACE LTD					
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS					
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT					
WRITTEN PERMISSION FROM DART AEROSPACE LTD.					

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1

D

D

C


C

B

B

A

A



FLAT PATTERN

RB T102019-3 SHORT WEBBING

NOTES:

- 1) MATERIAL: NYLON, MIL-W-4088K, TYPE XVII, CLASS 1A/2, RED OR EQUIVALENT
- 2) HEAT TREAT: N/A
- 3) FINISH: N/A
- 4) TOLERANCES: X = +/- 1"
X.X = +/- 0.5"
X.XX = +/- 0.25"
UNLESS OTHERWISE NOTED
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: 0.005" TO 0.010"
- 7) IDENTIFICATION: N/A
- 8) HEAT CUT ENDS AS SHOWN

DESIGN	KPT	DART AEROSPACE LTD			
DRAWN	KPT	HAWKESBURY, ONTARIO, CANADA			
CHECKED	KPT	TOOL PART #			
MFG. APPR.	DP	REV. E			
APPROVED	<i>MLee</i>	RB T102019			
DATE 1/13/2019		SHEET 4 OF 4			
TITLE RIGGING TOOL		SCALE NTS			
COPYRIGHT © 2018 BY DART AEROSPACE LTD					
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS					
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT					
WRITTEN PERMISSION FROM DART AEROSPACE LTD.					

8 7 6 5 4 3 2 1